ELSEVIER

Journal of Statistical Planning and Inference 98 (2001) 311–312

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 98 (2001)*

Ahmed, S.E., D. Li, A. Rosalsky and A.I. Volodin, Almost sure lim sup behavior of bootstrapped means with applications to pairwise i.i.d. sequences and stationary ergodic sequences	(1–2)	1– 14
Andersen, K.E. and M.B. Hansen, Multiplicative censoring: density estimation by a series expansion approach	(1–2)	137–155
Balakrishnan, N. and J. Mi, Order-preserving property of maximum likelihood estimator	(1–2)	89– 99
Bedford, D. and R.M. Whitaker, A new construction for efficient semi-Latin squares	(1–2)	287–292
Calle, M.L. and G. Gómez, Nonparametric Bayesian estimation from interval-censored data using Monte Carlo methods	(1–2)	73– 87
Chang, Y.-P. and W.-T. Huang, Generalized subset selection procedures under heteroscedasticity	(1–2)	239–258
Chu, C.K., *see* C.-J. Lai	(1–2)	157–175
Coolen, F.P.A. and P. van der Laan, Imprecise predictive selection based on low structure assumptions	(1–2)	259–277
Desmond, A.F., *see* X. Lu	(1–2)	119–135
Fang, K.-T., *see* Y. Zhao	(1–2)	279–285
Finner, H. and M. Roters, Asymptotic sharpness of product-type inequalities for maxima of random variables with applications in multiple comparisons	(1–2)	39– 56
Genton, M.G., The change-of-variance function: a tool to explore the effects of dependencies in spatial statistics	(1–2)	191–209
Gómez, G., *see* M.L. Calle	(1–2)	73– 87
Gu, X. and T. Mathew, Some characterizations of symmetric two-principal points	(1–2)	29– 37
Hansen, M.B., *see* K.E. Andersen	(1–2)	137–155
Huang, W.-T., *see* Y.-P. Chang	(1–2)	239–258
Kim, J., *see* R. Zhang	(1–2)	107–117
Kordzakhia, N., G.D. Mishra and L. Reiersølmoen, Robust estimation in the logistic regression model	(1–2)	211–223
Lai, C.-J. and C.K. Chu, Triple smoothing estimation of the regression function and its derivatives in nonparametric regression	(1–2)	157–175
Landsman, Z., Second-order minimax estimation of the mean value for exponential dispersion models	(1–2)	57– 71
Li, D., *see* S.E. Ahmed	(1–2)	1– 14
Lu, X., R.S. Singh and A.F. Desmond, A kernel smoothed semiparametric survival model	(1–2)	119–135
Maiti, T., Robust generalized linear mixed models for small area estimation	(1–2)	225–238
Mathew, T., *see* X. Gu	(1–2)	29– 37
Mi, J., *see* N. Balakrishnan	(1–2)	89– 99
Mishra, G.D., *see* N. Kordzakhia	(1–2)	211–223
Pouet, C., An asymptotically optimal test for a parametric set of regression functions against a non-parametric alternative	(1–2)	177–189
Reiersølmoen, L., *see* N. Kordzakhia	(1–2)	211–223
Rosalsky, A., *see* S.E. Ahmed	(1–2)	1– 14

* The issue number is given in front of page numbers

Elsevier Science B.V.
PII: S0378-3758(01)00117-3

Roters, M., *see* H. Finner	(1–2)	39– 56
Segers, I., Residual estimators	(1–2)	15– 27
Singh, R.S., *see* X. Lu	(1–2)	119–135
Tack, L. and M. Vandebroek, ($\mathcal{D}_p C$)-optimal run orders	(1–2)	293–310
Vandebroek, M., *see* L. Tack	(1–2)	293–310
Veraverbeke, N., Estimation of the quantiles of the duration of old age	(1–2)	101–106
Volodin, A.I., *see* S.E. Ahmed	(1–2)	1– 14
Whitaker, R.M., *see* D. Bedford	(1–2)	287–292
Woodroofe, M., *see* R. Zhang	(1–2)	107–117
Zhang, R., J. Kim and M. Woodroofe, Asymptotic analysis of isotonic estimation for grouped data	(1–2)	107–117
Zhao, Y. and K.-T. Fang, Orthogonal exact designs on a sphere, a spherical cap, or a spherical belt	(1–2)	279–285
van der Laan, P., *see* F.P.A. Coolen	(1–2)	259–277